GENERAL NOTES

1. APPROVAL OF THESE PLANS BY THE CITY ENGINEER DOES NOT AUTHORIZE ANY WORK TO BE PERFORMED UNTIL A PERMIT HAS BEEN ISSUED

2. UPON ISSUANCE OF A PERMIT. NO WORK WILL BE PERMITTED ON WEEKENDS OF HO/JOAYS UNLESS APPROD BY TRAMC CONTROL PERMIT FROM THE DE LOPMENT SERVICES DEPARTMENT

3. THE APPROVAL OF THIS PLAN OR ISSUANCE OF A PERMIT BY THE CITY OF SAN DIEGO DOES NOT AUTHORIZE THE PERMIT HOLDER OR OWNER TO VIOLA TE ANY FEDERAL, STATE OR CITY LA . ORDINANCES, REGULATIONS. OR PO/JC/ES.

4. IMPORTANT NOTICE: SECTION 4216 OF THE GOVERNMENT CODE REQUIRES A DIG ALERT IDENTIFICATION NUMBER ISSUED BEFORE A "PERMIT TO EXCAVATE" WILL BE VALID. FOR YOUR DIG ALERT I.D. NUMBER, CALL UNDERGROUND SERVICE ALERT. TOLL FREE (BOO) 422-4133, TWO DAYS BEFORE YOU DIG.

5. CONTRACTOR SHALL BE RESPONSIBLE FOR POTHOLING AND LOCATING ALL EJ(JSTING UTILITIES THAT CROSS THE PROPOSED TRENCH LINE WHILE MAINTAINING A 1 FOOT RTICAL CLEARANCE.

6. "PUBLIC IMPRO MENT SUBJECT TO DESUE1UDE OR DAMAGE. IF REPAIR OR REPLACEMENT OF SUCH PUBLIC IMPRO MENTS IS REQUIRED, CONTRACTOR SHALL OBTAIN THE REQUIRED PERMITS FOR WORK IN THE PUBLIC RIGHT-OF-WAY, SATISFACTORY TO THE PERMIT ISSUING AUTHORITY.

7. DEV/A TIONS FROM THESE SIGNED PLANS WILL NOT BE ALLOKED UNLESS A CONSTRUCTION CHANGE IS APPRO D BY THE CITY ENGINEER OR 11-IE CHANGE IS REQUIRED BY THE RESIDENT ENGINEER.

B. CONTRACTOR SHALL REPLACE OR REPAIR ALL TRAMC SIGNAL LOOPS. CONDUITS, AND LANE STRIPING DAMAGED DURING CONSTRUCTION.

9. PRIOR TO SITE DISIURBANCE, CONTRACTOR SHALL MAKE ARRANGEMENTS FOR A PRECONSTRUCTION MEETING WITH THE CITY OF SAN DIEGO, CONSTRUCTION MANAGEMENT AND FIELD ENGINEERING DIVISION (858) 627-3200.

10. CONTRACTOR SHALL ONLY PERFORM SITE SUR Y AND UTILITY MARK OUT SERVICES PRIOR TO THE PRECONSTRUCTION MEETING.

11. CONTRACTOR SHALL IMPLEMENT AN EROSION CONTROL PROGRAM DURING THE PROJECT CONSTRUCTION ACTIVITIES. THE PROGRAM SHALL COMPLY WITH ALL APPLICABLE REQUIREMENTS OF THE STATE WATER RESOURCE CONTROL BOARD.

12. CONTRACTOR SHALL HA EMERGENCY MATERIAL AND EQUIPMENT ON HAND FOR UNFORESEEN SLIVATIONS. SUCH AS DAMAGE TO UNDERGROUND WATER. SEWER. AND STORM DRAIN FACIL/11ES WHERE FLOW MAY GENERATE EROSION AND SEDIMENT POLLUTION.

13. MANHOLES AND PULL BOX COVER SHALL BE LABELED 'MTH NAME OF COMPANY.

14. AS-BUILT DRA'MNGS MUST BE SUBMITTED TO THE RESIDENT ENGINEER PRIOR TO ACCEPTANCE OF THIS PROJECT BY THE CITY OF SAN DIEGO.

15. CONTRACTOR SHALL PROVIDE RED-LINES DRAWINGS IN ACCORDANCE WITH 2-5.4, "RED-LINES AND RECORD DOCUMENTS."

16. CONTRACTOR SHALL MAINTAIN A MINIMUM OF 1 FOOT RTICAL SEPARATION TO ALL UTILITIES UNLESS OTHERWISE SPECIFIED ON 11-JEPLANS.

17. CONTRACTOR SHALL REMO AND REPLACE ALL UTILITY BOXES SERVING AS HANDHOLES THAT ARE NOT IN "AS-NEW" COND/110N IN PROPOSED SIDEWALK, DAMAGED BOXES. OR THOSE THAT ARE NOT IN COMPLIANCE WITH CURRENT CODE SHALL BE REMO D AND REPLACED L'ITHNEW BOXES. INCLUDING WATER, SEWER, TRAMC SIGNALS. STREET LIGHTS, DRY UTILITIES-SDG&E, COX, ETC. ALL NEW METAL LIDS SHALL BE SLIP RESISTANT AND INSTALLÉD FLUSH WITI-IPROPOSED SIDEWALK GRADÉ. IF A SUP RESISTANT METÁL LID IS NOT COMMERCIALLY AVAILABLE FOR THAT USE, NEW BOXES AND LIDS SHALL BE INSTALLED.

18. CONTRACTOR SHALL INSTALL CITY APPROVED TEMPORARY VIDEO OR RADAR DETECTION WHEN EXISTING TRAMC SIGNAL DETECTION SYSTEMS ARE DAMAGED. DISABLED, OR BECOME INEFFECTI DUE TO CONSTRUCTION ACTIVITIES FOR A PERIOD OF GI (5) OR MORE DAYS. SATISFACTORY TO THE CITY ENGINEER. THE CONTRACTOR SHALL COMPLETELY REMO ALL TEMPORARY TRAMC SIGNAL DETECTION EQUIPMENT AND RESTORE/INSTALL A CITY APPRO D PERMANENT VEHICLE DETECTION SYSTEM UPON COMPLETION OF CONSTRUCTION, SATISFACTORY TO THE CITY ENGINEER.

19. PRIOR TO CONSTRUCTION, SUR Y MONUMENTS (HORIZONTAL AND VERTICAL) THAT ARE LOCATED IN THE CONSTRUCTION AREA SHALL BE TIED-OUT AND REFERENCED BY A LAND SUR YOR.

20. UPON COMPLETION OF CONSTRUCT/ON, ALL DESTROYED SUR Y MONUMENTS ARE REQUIRED TO BE REPLACED, AND A CORNER RECORD OR RECORD OF SUR Y SHALL BE PREPARED AND FILED L'ITH 11-TE COUNTY SUR YOR AS REQUIRED BY THE PROFESSIONAL LAND SUR YOR ACT. SECTION 8771 OF THE BUSINESS AND PROFESSIONS CODE OF 11-IESTATE OF CALIFORNIA.


GROUND WATER DISCHARGE NOTES

1. ALL GROUND WATER EXTRACTION AND SIMILAR WASTE DISCHARGES TO SURFACE WATERS NOT TRIBUTARY TO THE SAN DIEGO BAY ARE PROHIBITED UNTIL IT CAN BE DEMONSTRATED THAT THE OWNER HAS APPLIED AND OBTAINED AUTHORIZATION FROM THE STATE OF CALIFORNIA VIA AN OFRCIAL "ENROLLMENT LETTER" FROM THE REGIONAL WATER OUALITY CONTROL BOARD IN ACCORDANCE L'ITH THE TERMS. PROVISIONS AND COND/110NS OF STATE ORDER NO R9-2015-0013 NPDES CAG919DOJ.

2. THE ESTIMATED MAXIMUM DISCHARGE RATES MUST NOT EXCEED THE LIMITS SET IN THE OFFICIAL "ENROLLMENT LETTER" FROM THE REGIONAL BOARD UNLESS PRIOR NOTIFICATION AND SUBSEQUENT AUTI-IORIZA TION HAS BEEN OBTAINED, AND DISCHARGE OPERATIONS MODIFIED TO ACCOMMODATE THE INCREASED RATES.

3. ALL GROUND WATER EXTRACTIONS AND SIMILAR WASTE DISCHARGES TO SURFACE WATERS TRIBUTARY TO THE SAN DIEGO BAY ARE PROHIBITED UNTIL IT CAN BE DEMONSTRATED 11-IAT 11-IE OWNER HAS APPLIED AND OBTAINED AUTHORIZATION FROM THE STATE OF CALIFORNIA VIA AN OFRCIAL "ENROLLMENT LETTER" FROM THE REGIONAL WATER QUALITY CONTROL BOARD IN

DGIC UNIT / WATERSHED HYDROLOGIC: <u>SAN DIEGO BAY</u> IC SUB AREA NAME AND NUMBER: <u>PUEBLOSD RESERVOIR XXX</u> OJECT SHALL COMPLY WITH THE REQUIREMENTS OF THE I+PCP THE PROJECT IS SUBJECT TO MUNICIPAL STORM WATER PERMIT	
NUMBER R9-2013-0001 AND SUBSEQUENT AMENDMENTS	Call 2 Working Daye Before You Dlgl
THE PROJECT IS SUBJECT TO MUNICIPAL STORM WATER PERMIT NUMBER RX-XXXX-XXXX AND CONSTRUCTION GENERAL PERMIT ORDER NUMBER XXXX-XXX-DWQ AS AMENDED BY ORDER 2010-0014 DWQ AND 20XX-XXXX-DWQ	811 IMPORTANT NOTICE
TRAD/110NAL: RISK LEVEL 1 2 3 UP RISK LE L 1 1 2 0 1 1 2 0 1t!JID NO: <u>TBD</u> UCTION SITE PRIORITY	SECTION 4216 14217 OF THE GOVERNMENT CODE REQUIRES A DIGALERT IDENTIFICATION NUMBER BE ISSUED BEFORE A PERMIT TO EXCAVATE WILL BE VALID. FOR YOUR DIGALERT I. D. NUMBER CALL UNDERGROUND SERVICE ALERT TWO WORKING DAYS BEFORE YOU DIG.
S HIGH MEDIUM LOW	TOLL FREE: 1-800-422-4133
	BLE APPROVAL NO. PROJECT NO. 0 1/2 1
	THE PROJECT IS SUBJECT TO MUNICIPAL STORM WATER PERMIT SUMBER RX-XXXX-XXXX ND CONSTRUCTION GENERAL PERMIT ORDER NUMBER XXX-XXX-DWQ AS AMENDED BY ORDER 2010-0014 DWQ AND OXX-XXX-DWQ RAD/110NAL: RISK LEVEL 1 2 3 UP RISK LE L 1 2 3 UP RISK LE L 1 2 0 It!JID NO: <u>TBD</u> ICTION SITE PRIORITY




	—
v	

.16995-D

11-THE IS CURRENTLY A TEMPORARY STATION 11-TAT WILL REMAIN IN USE DURING THE CONSTRUCTION OF THE NEW STATION. ONCE THE NEW STATION IS BUILT. THE EXISTING

PROPOSED LEGAL DESCRIPTION

ZOOM ZOOM CONSTRUCTION CO. PLANS ON BUILDING A 10,700 SQUARE FOOT FIRE STATION ON THE EXISTING LOT. THE STATION WILL BE 2-3 STORIES AND HOUSE APPROX/MA TELY 10 FIRE PERSONNEL. ALONG 1'1111-THE NEW STATION, ZZC PLANS TO ADD 3 PUBLIC PARKING



PRIVATE WATER AND WASTEWATER

PWMBING CODE AND IS SHOWN ON 11-IESE PLANS AS "INFORMATION ONL r". A SEPARA TE

<u> </u>		И 13 70	e n K i	CONTRACTOR INSPECTOR		DAIT STAR				XXX-	-1-D
				AS-BUILTS		DA1f STAR	150			BERT COORD/	
	(MPH)	(VEHICLES)	(FT)						NADI	XXXX-XXXX BJ COORDINA XXX-XXXX	
CLASS/ETCA TTON	SPEED	ADT	R/W	DESCRIPNON ORIGINAL	BY XXX	APPROVED	UALT	FILMED		1414144 14144	
REET DATA TAB				FOR CITY			DA1f OA1f		V.T.M,	·- <u></u>	
-	CON	STRUCTION	i co.	C	DEVEL	SAN DIEGO, CA OPMENT SERVICES DEP HEET F OF XX SHEETS	ARTMENT		PRo.EC	CT NO	_
_	Z	oor				BRIEF LEGAL STREET WI					
			>			HILLS	FIR	EST	-A -	ΓΙΟΝ	51
			6	PRIVA 1F CONT		Γ FOR [.]					
	دع 		6								
X SDW-114 SDG-107	٢/-										
SDW-156	-										
W-149, SDRW-102 WS-03 SDM-105, SDW-110,	-										
SDM-105, SDW-107, SDW-135, SDW-136,											
SDW-105, SDW-118, SDM-105, SDW-152, SDW-153											
. SDS-102/103, SDS-105, SDS-IIO(C)	_	- 4 60									
REET TREES											
				EXIST. TELEF	PHONE					T	
										1V	
DARD_DWGS.		<u>SYMBOL</u>									
<u>ITS</u>						MENT PER PM 5323				•	
						ASSEMBLY.					

WORK TO BE DONE

	FOLLOMNG WORK TO BE DONE ACCORDING TO IS AND STANDARD DRAWINGS OF THE CITY OF
STANDARD SILCTICA HUD.	
<u>DOCUMENT_NO.</u> PWP/070116-01	<u>DESCRIPIION</u> STANDARD SPEC/FICA TIONS FOR PUBLIC WORKS CONSTRUCTION (GREENBOOK), 2018 ED/110N
PWP/070116-02	CITY OF SAN DIEGO STANDARD SPEC/RCA TIONS FOR PUBLICWORKS CONSTRUCTION (WHITEBOOK), 2018 ED/110N
PWP/092816-04	<;IIY'MQE COMPU7FR AIDED DESIGN AND DRAFTING (GADD) STANDARDS. 2018 ED/110N
PWP/092816-07	CALIFORNIA DEPARTMENT OF TRANSPORTATION MANUAL OF UNIFORM TRAMC CONTROI DEVICES. 2014 ED/110N
PWP/092816-05	CALIFORNIA DEPARTMENT OF TRANSPORTATION U.S CUSTOMARY STANDARD SPEC/FICA TIONS. 2018 ED/110N
STANDARD DRAWINGS:	
<u>QOCUMENTNO</u> . P1+P/070116-03	DESCRIPTION CITY OF SAN DIEGO STANDARD DRAWINGS FOR PUBLIC
	WORKS CONSTRUCTION, 2018 ED/110N
P1+P/092816-06	CALIFORNIA DEPARTMENT OF TRANSPORTATION U.S CUSTOMARY STANDARD PLANS. 2018 ED/110N

LEGEND (CONTINUED)

EX/STIN	G IMPROVEMENTS
	STANDARD_DWGS,
SUBDMSION	BOUNDARY
	GHT-OF-WAY.
EXISTING LO	T LINE
	TERLINE
EXIST. CURB	AND G/JITER
EXIST. CURB	RAMP
EXIST. SIDEN	VALK
EXIST. STREE	ET LIGHT
EXIST. TREE	
EXIST. STORI	M DRAIN PIPE
EXIST. STORI	M DRAIN CLEANOUT
EXIST. STORI	M DRAIN CURB INLET
EXIST. PVC .	SEWER
EXIST. SEWEI	R MANHOLE
EXIST. SEWEI	R LATERAL
EXIST. AC W	ATER
EXIST. WATER	R SERVICE
	STBLOCK
	VAL\f"
	HYDRANT ASSEMBLY.
	EY MONUMENT PER PM 5323 AND 6810
EXIST. DRIVE	WAY
EXIST. REC.	WATER
EXIST. CABLE	Ξ Τν
XIST. TELEF	PHONE

<u></u>
0
dJ S,
e ₩ ॾ
<0 A S
RW

GENERAL NOTES

• IMPORTANT NOTICE: PROJECT WILL HAVE ADA PARKING STALLS..

2• PUBUC PARKING.

3. CONTRACTOR SHALL REPLACE OR REPAIR ALL TRAFFIC SIGNAL LOOPS, CONDUITS. AND LANE STRIPING DAMAGED DURING CONSTRUCTION.

. CONTRACTOR SHALL ONLY PERFORM SITE SURVEY AND UTIUTY MARK OUT SERVICES PRIOR TO THE PRECONSTRUCTION MEETING.

5. CONTRACTOR SHALL IMPLEMENT AN EROSION CONTROL PROGRAM DURING THE PROJECT CONSTRUCTION ACTIVITIES. THE PROGRAM SHALL COMPLY WITH ALL APPLICABLE REQUIREMENTS OF THE STATE WATER RESOURCE CONTROL BOARD.

. CONTRACTOR SHALL HAVE EMERGENCY MATERIAL AND EQUIPMENT ON HAND FOR UNFORESEEN SITUATIONS, SUCH AS DAMAGE TO UNDERGROUND WAJB?, SEWER, AND STORM DRAIN FACIUTIES WHERE FLOW MAY GENERATE EROSION AND SEDIMENT POLLUTION.

• A CITY OF SAN DIEGO RIGHT OF WAY PERMIT IS NECESSARY FOR THIS PROJECT. SEE CITY OF SAN DIEGO APPROVED DS-3179 RIGHT OF WAY PERMIT. THE CONTRACTOR WILL BE REQUIRED TO PULL THE RIGHT OF WAY PERMIT AS WELL AS PROVIDE AND PERMIT THE REQUIRED TRAFFIC CON TROL.

THE NUMBER OF EMPLOYEE PARKING WILL VARY DEPENDING ON THE END OF THE COMPLETED BUILDING SIZE UPON FINAL SUBMITTAL ROCESS.

WORK TO BE DONE

THE PUBLIC IMPROVEMENTS SHOWN ON THESE PLANS SHALL BE CONSTRUCTED ACCORDING TO THE FOLLOWING STANDARD SPECIF/CATIONS AND UC SAN DIEGO DESIGN GU/DEUNES AND SPECIF/CATIONS AND IS SUBJECT TO THE REQUIREMENTS IN THE MOST CURRENT PHASE II SMALL MS4 GENERAL PERMIT, SECTION F AND IF THE PROJECT IS 1 ACRE ORE MORE THE STORM WA 1B? GENERAL CONSTRUCTION PERMIT.

STANDARD SPECIFICATIONS:

DOCUMENT_NO___ PWI '/010119-01

PWI '/010119-02

PWI '/010119-04

PWPI030119-07

PWPI0J0119-05

STMIMBQIIIA DOCUMENT_NO. PWI '/010119-03

PWPI030119-06

DESCRIPTION STANDARD SPEC/FICA TIONS FOR PUBUC 111'.JRKS CONSTRUCTION (GREENBOOK), 2018 EDITION FÖR PUBUCWORKS CONSTRUCTION (WHITEBOOK) 2018 EDITTION C/_TWILDE COMPUJB? AIDED DESIGN AND DRAFTING (GADD) STANDARDS. 2018 EDITION CALIFORNIA DEPARTMENT OF TRANSPORTATION MANUAL (M. UN FORM TRAFFIC CONTROL DEVICES CALIFORNIA DEPARTMENT OF TRANSPORTATION U.S. CUSTOMARY STANDARD SPECIF/CATIONS, 2018 EDITION DESCRIPTION CITY OF SAN DIEGO STANDARD DRA'MNGS FOR PUBUC WORKS CONSTRUCTION, 2018 EDITION CAUFORNIA DEPARTMENT OF TRANSPORTATION U.S CUSTOMARY STANDARD PLANS. 2018 EDITION

SHEET INDEX


C-1	T11!.E SHEET
C-2	NOTES SHEET
C-3	CONSTRUCTION PLAN
<u>C-4</u>	EROSION CONTROL PLAN
T-0.01	TELECOM COVER SHEET
T-1.01	TELECOM SITE PLAN
T-9.01	TELECOM DETAILS

LEGEND



BRANDON BONGCARON (PM) JOHN NGYUEN STRUCTURAL CAMERON OLIVO SITE CIVIL ROMAN PALO GEOTECHNICAL

ZOOM ZOOM CONSTRUCTION (C). 212.753. 0643



COLLIN KILLINS TRANSPORTATION CAMERON LAPUAHO WAm?/WASTEWA 1B?

NAME

BRANDON J. BONGCARON R.C.£ NO. 48913





AS-BUTLJS CONTRACTOR


INSPECTOR

DA'IE: STARTED

DA TE COMPLETED

xxxxxx-

4P (r•toO')



	P	ROPOSED D	OMESTIC WA	TER POC		(<u></u>		-
							_	·	-
							_	:	-
					Т РОС				
							Ŭ		-
	P	PROPOSED AI	REA DRAIN .				0		
	P	ROPOSED S	TORM DRAIN	CLEANOUT	r		O	ļ	
	P	ROPOSED SI	WALE						
	P	ROPOSED M	ODULAR WET	LANDS SY	STEM UNIT				
	P	ROPOSED SL	EWER CLEAN	OUT			•		
	P	ROPOSED GI	REASE INTER	CEPTOR _			ହେଡ଼]	
	P	ROPOSED B	ACKFLOW PR	EVENTER			844	9	
	P	ROPOSED Ci	ATCH BASIN					I	
	م					=			=
		ROPOSED C	URB DEWALK					e e e e e e e e e e e e e e e e e e e	
								<u></u>	-
									_
			OUNDARY						_
			RADING						_
							<i>.</i> ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		
	Ε	XISTING BU	ILDING						
	SE	WER	DAT	A					
<i>\\\</i>	BEARING/DELTA	RADIUS	LENGTH		NOTE				
$\left(\begin{array}{c} 1 \end{array} \right)$	N88°36'50"W		9.29'		C (SDR-35)				
2	N88°36'50"W		18.07'		C (SDR—35)	_			
	WA	ATER	DAT	A					
- NO	BEARING/DELTA	RADIUS	LENGTH		NOTE				
·				·					
$\overline{\langle}$	N8917'53"W		7.35'	3" P	VC (CL235)				
	FIRE WA				VC (CL235)	_			
NO	I			A (F	VC (CL235)				
	FIRE WA		DAT	A (F	VC (CL235) PVT)				
<u>NO</u> 1 2	FIRE WA	ATER RADIUS 	DAT <i>LENGTH</i> 6.00' 6.50'	A (F ZURN V 8" P	VC (CL235) PVT) NOTE				
NO 1 2 NO TR INSTAL WATER FIRE S BE PE FIRE S BE PE FIRE S BE PE	FIRE WA BEARING/DELTA N89'08'51"W N89'08'51"W N89'08'51"W SERVICES ARE SHO FACILITIES. SERVICES ARE SHO FACILITIES. SERVICES ARE SHO FACILITIED SEPARATO SERVICES ARE SHO FACILITIED SEPARATO SERVICES ARE SHO FACILITIED SEPARATO SERVICES ARE SHO FOR SHEETS ARE NOT STALLATION OF AN STALLATION OF AN	ATER RADIUS JTILIT TAPPROVED NY UNDERGR SUBMITTAL T D BY THE INS OR PRIOR TO	DATA LENGTH 6.00' 6.50' Y NO HREE FEET I Y SEWER AN S PLAN FOR ION N FOR THE D ROUND FIRE O THE UCSE STALLING C- O ANY DEMO	A (F ZURN V ZURN V 8" P TES N HEIGHT D FIVE FEE REFERENCI IN FOR RI 16 LICENS. LITION, MO	VC (CL235) PVT) NOTE WILKINS RISER VC (C900) SHALL BE T OF ANY E AND WILL E AND WILL MODIFICATIC N SYSTEM EVIEW AND ED FIRE	 			
NO 1 2 NO TR INSTAL WATER FIRE S BE PE FIRE S BE PE FIRE S BE PE	FIRE WA BEARING/DELTA N89'08'51"W N89'08'51"W N89'08'51"W N89'08'51"W SERVICES OR SHRUBS E LED WITHIN TEN F FACILITIES. SERVICES ARE SHO TO SEPARATE SERVICES ARE SHO TO SEPARATE SE OVAL IS REQUIRED TECTION CONTRACTO ALLATION OF ANY F	ATER RADIUS JTILIT TAPPROVED NY UNDERGR SUBMITTAL T D BY THE INS OR PRIOR TO	DATA LENGTH 6.00' 6.50' Y NO HREE FEET I Y SEWER AN PRIVATE CON PRIVATE CON	A (F ZURN V 8" P TES N HEIGHT D FIVE FEE REFERENCE IN FOR RI 16 LICENS DITION, MO DENTS	VC (CL235) PVT) NOTE WILKINS RISER VC (C900) SHALL BE T OF ANY E AND WILL MODIFICATION E AND WILL MODIFICATION, O DIFICATION, O COMENT SERVI SAN DIEN OPMENT SERVI SHEET OF		N ALIFORNIA PARTMENT		V. T. M
	FIRE WA BEARING/DELTA N89'08'51"W N89'08'51"W N89'08'51"W N89'08'51"W SERVICES OR SHRUBS E LED WITHIN TEN F FACILITIES. SERVICES ARE SHO TO SEPARATE SERVICES ARE SHO TO SEPARATE SE OVAL IS REQUIRED TECTION CONTRACTO ALLATION OF ANY F	ATER RADIUS JTILIT TAPPROVED NY UNDERGE SUBMITTAL T D BY THE INS OR PRIOR TO FIRE PROTECT	DATA LENGTH 6.00' 6.50' Y NO HREE FEET I Y SEWER AN PLAN FOR ION FIRE O THE UCSL STALLING C- O ANY DEMC STALLING C- STALLING C- STA	A (F ZURN V 8" P TES N HEIGHT D FIVE FEE REFERENCE INTERNON, PROTECTION, PROTECTION, PROTECTION, PROTECTION, PROTECTION, MONENTS ITRACT	VC (CL235) PVT) NOTE WILKINS RISER VC (C900) SHALL BE T OF ANY E AND WILL MODIFICATION E AND WILL MODIFICATION, O DIFICATION, O COMENT SERVI SAN DIEN OPMENT SERVI SHEET OF	DN, DN, OR CPLAI GO, CA ICES DEP XX SHEL	N ALIFORNIA PARTMENT ETS DATE		PROJECT NO